



Phone: **1 (888) 374-8824** Confidential Fax: **(801) 538-9923** Email: **reporting@utah.gov**

## Chlamydia and gonorrhea case report form

### Instructions

Complete all sections of this form using available data and fax or email\* the completed form to Utah public health. As chlamydia and gonorrhea are reportable diseases, client consent to release this information to Utah public health is **not required** and disease reporting is mandatory per Utah State Health Code 26B.

\*case reports submitted via email need to be sent securely via an encryption service such as Virtru.

### Demographic information

Last name:	First name:	MI:
Address:	City:	
State:	County:	ZIP:
Phone #1:	Phone #2:	Phone #3:
Date of birth: ___/___/___	Age:	Birth sex: (check one) <input type="checkbox"/> M <input type="checkbox"/> F
Current gender: (check one) <input type="checkbox"/> M <input type="checkbox"/> F <input type="checkbox"/> FTM <input type="checkbox"/> MTF <input type="checkbox"/> Non-binary <input type="checkbox"/> Other, specify: _____		
Race: (Check all that apply)		
<input type="checkbox"/> White <input type="checkbox"/> Black or African American <input type="checkbox"/> American Indian or Alaska Native <input type="checkbox"/> Asian <input type="checkbox"/> Native Hawaiian or Pacific Islander <input type="checkbox"/> Unknown <input type="checkbox"/> Other, specify: _____		
Ethnicity: <input type="checkbox"/> Hispanic or Latino <input type="checkbox"/> Not Hispanic or Latino <input type="checkbox"/> Unknown		
Primary language: <input type="checkbox"/> English <input type="checkbox"/> Spanish <input type="checkbox"/> Other, specify: _____		

### Treatment information

See [CDC STI Treatment Guidelines, 2021](#) for complete treatment guidelines including alternate treatment regimens. Please note that these guidelines were updated on July 22, 2021

<b>Chlamydia treatment</b> <input type="checkbox"/> Doxycycline 100 mg orally BID x 7 days <input type="checkbox"/> Azithromycin 1 g orally in a single dose <input type="checkbox"/> Other, specify: _____	Treatment date: ___/___/___
<b>Gonorrhea treatment</b> <input type="checkbox"/> Ceftriaxone 500 mg IM in a single dose <input type="checkbox"/> Cefixime 800 mg orally in a single dose* <input type="checkbox"/> Other, specify: _____	Treatment date: ___/___/___

**Laboratory information****Attach a copy of the lab results****Reporting**

Reporter's name: \_\_\_\_\_ Phone number: \_\_\_\_\_

Reporter's agency: \_\_\_\_\_ Date reported to public health: \_\_\_/\_\_\_/\_\_\_

**Clinical information**

Clinician name: \_\_\_\_\_ Clinician phone #: (\_\_\_\_) \_\_\_\_ - \_\_\_\_\_

Pregnant:  Yes  No  Unknown  N/ADate of last HIV test: \_\_\_/\_\_\_/\_\_\_ Test result:  Pos.  Neg.  Equivocal  UnknownIs the patient MSM (a man who has sex with men):  Yes  No  Unknown  N/A**Expedited partner therapy**

[\*Expedited partner therapy\*](#) (EPT) enables providers to treat the sexual partners of patients diagnosed with chlamydia or gonorrhea by giving a prescription or medication to the patient to take to their partner(s).

*\*EPT is not recommended for partners who have had an oral exposure to gonorrhea, as oral treatment is less effective at eradicating pharyngeal gonorrhea than IM ceftriaxone. Clinicians should use shared decision-making when considering offering EPT to MSM due to high rates of comorbidities in this population.*

Was EPT provided to any of the patient's partners?  Yes  No

How many partners were treated with EPT? \_\_\_\_\_

*Record the treatment given in the partners section. For unknown partners, put first and last names as unknown and fill in any information about them you may have (e.g., phone number).*

**Contact management***Complete the following information for**all partners the patient has had sexual contact with in the last 90 days.*Name: \_\_\_\_\_ Sex:  M  F DOB / age: \_\_\_\_\_

Address: \_\_\_\_\_ Phone: (\_\_\_\_) \_\_\_\_ - \_\_\_\_\_

Treatment provided: \_\_\_\_\_ Was this treatment EPT?  Yes  No

Date of last sexual encounter: \_\_\_/\_\_\_/\_\_\_

**Chlamydia and gonorrhoea**

Patient name: \_\_\_\_\_

Name: \_\_\_\_\_ Sex:  M  F DOB / age: \_\_\_\_\_

Address: \_\_\_\_\_ Phone: (\_\_\_\_) \_\_\_\_\_ - \_\_\_\_\_

Treatment provided: \_\_\_\_\_ Was this treatment EPT?  Yes  No

Date of last sexual encounter: \_\_\_\_/\_\_\_\_/\_\_\_\_

Name: \_\_\_\_\_ Sex:  M  F DOB / age: \_\_\_\_\_

Address: \_\_\_\_\_ Phone: (\_\_\_\_) \_\_\_\_\_ - \_\_\_\_\_

Treatment provided: \_\_\_\_\_ Was this treatment EPT?  Yes  No

Date of last sexual encounter: \_\_\_\_/\_\_\_\_/\_\_\_\_

Name: \_\_\_\_\_ Sex:  M  F DOB / age: \_\_\_\_\_

Address: \_\_\_\_\_ Phone: (\_\_\_\_) \_\_\_\_\_ - \_\_\_\_\_

Treatment provided: \_\_\_\_\_ Was this treatment EPT?  Yes  No

Date of last sexual encounter: \_\_\_\_/\_\_\_\_/\_\_\_\_

Name: \_\_\_\_\_ Sex:  M  F DOB / age: \_\_\_\_\_

Address: \_\_\_\_\_ Phone: (\_\_\_\_) \_\_\_\_\_ - \_\_\_\_\_

Treatment provided: \_\_\_\_\_ Was this treatment EPT?  Yes  No

Date of last sexual encounter: \_\_\_\_/\_\_\_\_/\_\_\_\_

Name: \_\_\_\_\_ Sex:  M  F DOB / age: \_\_\_\_\_

Address: \_\_\_\_\_ Phone: (\_\_\_\_) \_\_\_\_\_ - \_\_\_\_\_

Treatment provided: \_\_\_\_\_ Was this treatment EPT?  Yes  No

Date of last sexual encounter: \_\_\_\_/\_\_\_\_/\_\_\_\_