

This report contains preliminary data through the week ending **August 30, 2025**.

Background:

Utah public health conducts surveillance for [reportable arboviral diseases](#)¹ year-round. The focus of these surveillance efforts is to primarily monitor endemic mosquito-borne diseases such as West Nile virus (WNV), Saint Louis encephalitis (SLE), and Western Equine encephalitis (WEE) which includes routine testing of the mosquito vector that causes these endemic diseases along with tracking human and horse cases. WNV is the leading cause of mosquito-borne disease in the continental United States,² as well as Utah. Due to the abundance of this virus, this report will primarily contain information regarding WNV human, mosquito, and animal detections.

West Nile virus (WNV) is carried by mosquitoes and commonly found in Africa, West Asia, and the Middle East. The virus first appeared in the U.S. in 1999 and in Utah in August 2003. WNV can cause disease in humans, birds, horses, and some other mammals. WNV is most commonly spread through the bite of an infected *Culex* mosquito. Most people (70–80%) who become infected with WNV do not develop any symptoms. Those people who do become ill may experience headache, body aches, joint pain, vomiting, diarrhea, or rash. Fewer than 1% of people infected with WNV will develop a serious neurologic illness, such as encephalitis (inflammation of the brain) or meningitis (inflammation of the membranes that surround the brain and spinal cord).² There are no vaccines to prevent or medicines to treat WNV in humans. However, there is a WNV vaccine for horses that is strongly recommended for all healthy horses.

³

St. Louis encephalitis (SLE) virus is spread to people by the bite of an infected mosquito. Most people infected with SLE virus do not have symptoms. Those people who do become ill may experience fever, headache, nausea, vomiting, and tiredness. Some people may develop a more serious neuroinvasive disease. In rare cases, long-term disability or death can occur. There are no vaccines to prevent or medicines to treat SLE.⁴

Beginning in 2023, this report has been expanded to enhance awareness of other mosquito-borne diseases that have been historically travel-associated. These include chikungunya, dengue, yellow fever, zika, and malaria. These enhanced efforts resulted from recent [locally-acquired malaria \(2023\)](#)⁵ and [dengue \(2022\)](#)⁶ cases reported in other states. Utah has not seen locally-acquired transmission of these diseases. Utah does have the mosquito vectors that can transmit malaria (*Anopheles* species) and dengue (*Aedes aegypti*) across the state. We consider the risk of local transmission to be very low, because our vector numbers in the state are very small and the *Anopheles* vectors we have in the state are not the most efficient mosquito vector for the malaria parasite. However, it is important we remain vigilant in our surveillance efforts.

Anopheles (the vector for malaria) mosquito detection has been reported by every mosquito abatement district across the state and, in most cases, since the start of each district's inception. The two species of *Anopheles* found most commonly in Utah are *A. freeborni* and *A. franciscanus*; other *Anopheles* species are also found each year in Utah, but are usually found in small numbers.

Aedes aegypti, the vector for dengue and zika, has been detected in multiple areas of the Southwest health jurisdiction, as well as in Moab, Utah. *A. aegypti* was first detected in 2013 in Southwest, and since

Utah Arboviral Surveillance weekly report

MMWR Week 35, August 24–August 30, 2025

then, has been found every year since 2020 in that jurisdiction. In 2023, Southwest detected *A. aegypti* in a new location. *A. aegypti* was first found in Moab in September 2019, and has since been found in 2021, 2022, and 2023. In 2023, *A. aegypti* was found at 3 sites and there have been 8 detections, totaling 13 mosquitoes.

Data presented in this report are based on currently available data and are subject to change. Mosquito abatement districts (MADs) report positive WNV, SLE, and WEE results to the Utah Department of Health and Human Services (DHSS) by end of day Friday during each MMWR week. However, testing varies by county and not all counties actively test for arboviruses in mosquitoes and animals. Additionally, mosquito-borne disease case reports done by local health districts (LHDs) might still be under investigation and may not be included in the report in a timely manner. Therefore, these data should not be used to assess the current risk of contracting arboviruses in any particular location.

WNV testing protocols:

Human cases

All arboviral and parasitic diseases included in this report are [reportable to the Utah Department of Health & Human Services](#).¹ Healthcare providers across the state submit human samples to both the Utah Public Health Laboratory (UPHL) and private laboratories. The 3 major blood banks serving Utah (American Red Cross, ARUP, and Mountain Star) coordinate screening of donated blood for identification of viremic donors. All LHDs in Utah are involved in dissemination, investigation, and response to surveillance data which indicates of local arboviral activity.

Horse cases

West Nile virus in horses is also [reportable to the Utah Department of Agriculture and Food \(UDAF\)](#)⁷ in the state of Utah. All laboratory reports of positive cases are sent to the state veterinarian at UDAF, who shares the cases with DHSS to report out statewide WNV activity.


Bird cases

Even though routine sentinel chicken surveillance is no longer funded statewide, a few MADs continue to maintain this surveillance activity and report the positive chickens identified through this method to DHSS. In addition, while routine wild bird surveillance is no longer funded statewide, the Utah Department of Wildlife Resources (UDWR) reports any wild bird identified through passive surveillance that tests positive for WNV throughout the season.

Mosquito pools

Mosquito pooling is a collection and testing method where mosquitoes are grouped in numbers of up to 100 mosquitoes, and the grouped mosquitoes are then tested for mosquito-borne pathogens. Local MADs and tribal abatement districts, in conjunction with the Utah Mosquito Abatement Association, perform necessary trapping and identification for mosquito surveillance. Mosquito pool confirmatory testing is conducted at the UPHL.

West Nile virus mosquito and animal activity map by county, Utah, 2025



[Link to interactive WNV mosquito and animal activity map by county, Utah, 2025](#)

New this week

Utah WNV updates

Humans

As of August 30, 2025, 16 WNV positive human cases have been reported in Utah in 2025 from Bear River (6), Davis County (3), Salt Lake County (3), and Utah County (4) health jurisdictions. 13 of these cases are neuroinvasive, and one death has been reported. The first case was reported on 8/8/25 out of Salt Lake County health jurisdiction.

Horses

As of August 30, 2025, 10 WNV positive horses have been reported in Utah by Cache (3), Utah (4), and Weber (2) counties. One positive horse location in pending county information. The first positive WNV horse was reported by UDAF on 8/6/25 out of Utah County.

Birds

As of August 30, 2025, no WNV positive birds have been reported in Utah in 2025.

Mosquito pools

As of August 30, 2025, 325 WNV positive mosquito pools have been reported in Utah by Box Elder (15), Cache (34), Davis (39), Duchesne (3), Juab (3), Salt Lake (142), Tooele (3), Uintah (11), Utah (74), and Weber (1) counties. To date in 2025, the UPHL and mosquito abatement laboratories have tested a total of 9,058 mosquito pools. The first positive pool was identified in Utah County on July 3, 2025.

West Nile virus comparisons, Utah, 2025, 2024, and 2023 YTD

	2023 YTD	2024 YTD	2025 YTD
Counties where WNV has been detected (human, animal, or mosquito cases)/Total Utah counties	14/29	9/29	10/29
Human WNV cases	3	5	16
Horse WNV cases	6	6	10
Positive mosquito pools/Number tested	214/10,719 (1.99%)	221/8,497 (2.6%)	325/9,058 (3.59%)

WNV testing summaries

Utah Arboviral Surveillance weekly report

MMWR Week 35, August 24–August 30, 2025

YTD West Nile positive samples by local health district, 2025

Health jurisdiction	WNV positive humans	WNV positive horses	WNV positive mosquito pools
Bear River	6	3	49
Central	0	0	3
Davis County	3	0	39
Salt Lake County	3	0	142
San Juan County	0	0	0
Southeast	0	0	0
Southwest	0	0	0
Summit County	0	0	0
Tooele County	0	0	3
TriCounty	0	0	14
Utah County	4	4	74
Wasatch County	0	0	0
Weber Morgan	0	2	1
Unknown	0	1	0
Total	16	10	325

Mosquito pools positive/total tested, 2025

	WNV	SLEV	WEEV
Week	81/602 (13.46%)	5/590 (0.85%)	0/590 (0.0%)
YTD	325/9,058 (3.59%)	14/8,999 (0.16%)	0/8,999 (0.0%)

WNV = West Nile virus; SLEV = St. Louis encephalitis virus; WEEV = Western Equine encephalitis virus

Utah: other mosquito-borne disease updates

(including chikungunya, dengue, malaria, and zika)

This week, there was 1 new malaria case reported which was travel-associated. To date in 2025, there have been a total of 10 malaria cases, 4 dengue cases, 1 chikungunya case, and 0 zika case reported in Utah—all of these were acquired out of country and considered travel-associated cases.

Utah Arboviral Surveillance weekly report

MMWR Week 35, August 24–August 30, 2025

Disease/infection	Number of new cases this week	Total number of cases in 2025	Locally acquired	Travel associated
Chikungunya	0	1	0	1
Dengue	0	4	0	4
Malaria	1	10	0	10
Zika	0	0	0	0

New this week

National updates

Travel advisories:

Dengue			Chikungunya		Malaria	Yellow fever
Africa/ Middle East	Americas	Asia/Pacific Islands	Africa/Middle East	Asia/Pacific Islands	Africa/Middle East	Americas
Bangladesh	Colombia	Cook Islands	Kenya	China	Ethiopia	Colombia
Comoros	Cuba	Fiji	Madagascar	Sri Lanka		
Mali	El Salvador	French Polynesia	Somalia			
	Guatemala	Kiribati				
	Mexico	Nauru				
	Panama	Philippines				
		Samoa				
		Tonga				
		Tuvalu				

Level 1 Travel Health Notice, Level 2 Travel Health Alert: <https://wwwnc.cdc.gov/travel/notices>.

For a map of arboviral disease activity in the United States visit:

<https://www.cdc.gov/west-nile-virus/data-maps/current-year-data.html>

Utah Arboviral Surveillance weekly report

MMWR Week 35, August 24–August 30, 2025

Table 1. West Nile virus disease cases and infections reported to ArboNET, 2025
Provisional data as of September 02, 2025

Jurisdiction	Human disease cases				Presumptive viremic blood donors
	Neuroinvasive cases	Non-neuroinvasive cases	Total	Deaths	
Alabama	10	2	12	0	3
Arizona	35	15	50	8	15
Arkansas	7	1	8	2	0
California	15	2	17	1	2
Colorado	53	60	113	7	14
Connecticut	0	0	0	0	4
Florida	1	0	1	0	5
Georgia	3	0	3	0	1
Idaho	1	0	1	1	0
Illinois	26	9	35	0	1
Indiana	8	3	11	1	1
Iowa	1	1	2	0	5
Kansas	10	1	11	1	4
Kentucky	1	2	3	0	0
Louisiana	20	8	28	0	3
Maryland	0	1	1	0	1
Michigan	4	2	6	1	0
Minnesota	9	12	21	2	21
Mississippi	10	7	17	2	6
Missouri	3	0	3	0	9
Montana	0	1	1	0	1
Nebraska	10	10	20	0	6
New Jersey	0	0	0	0	1
New Mexico	10	2	12	2	1
New York	5	2	7	0	8
North Carolina	4	0	4	0	0
North Dakota	29	29	58	0	9
Ohio	9	1	10	0	6
Oklahoma	10	6	16	1	4
Oregon	0	1	1	0	0
Pennsylvania	8	3	11	1	1
South Carolina	1	0	1	0	0
South Dakota	14	19	33	2	4
Tennessee	2	2	4	0	0
Texas	16	11	27	0	26
Utah	10	2	12	0	2
Virginia	6	2	8	0	0
Wisconsin	2	2	4	0	1
Wyoming	3	2	5	1	3
Totals	356	221	577	33	168

Table 5. Chikungunya virus disease cases reported to ArboNET, 2025
Provisional data as of September 02, 2025

Jurisdiction	Travel-associated disease cases	Locally acquired disease cases	Total cases
California	2	0	2
Colorado	2	0	2
Connecticut	2	0	2
Florida	6	0	6
Illinois	5	0	5
Kansas	2	0	2
Kentucky	1	0	1
Louisiana	1	0	1
Maryland	5	0	5
Massachusetts	3	0	3
Minnesota	3	0	3
New Jersey	1	0	1
New Mexico	1	0	1
New York	10	0	10
Ohio	1	0	1
Oregon	2	0	2
Pennsylvania	1	0	1
Tennessee	5	0	5
Texas	2	0	2
Utah	1	0	1
Virginia	1	0	1
Washington	3	0	3
Totals	60	0	60


Table 6. Zika virus non-congenital disease cases reported to ArboNET, 2025
Provisional data as of September 02, 2025

Jurisdiction	Travel-associated disease cases	Locally acquired disease cases	Total cases
California	2	0	2
Hawaii	1	0	1
Illinois	1	0	1
Puerto Rico	0	1	1
Wisconsin	1	0	1
Totals	5	1	6

Utah Arboviral Surveillance weekly report

MMWR Week 35, August 24–August 30, 2025

Figure 1. Dengue cases reported to ArboNET — United States, 2025 (as of August 20, 2025).



Utah Arboviral Surveillance weekly report

MMWR Week 35, August 24–August 30, 2025

References:

1. Utah reportable diseases: https://epi.utah.gov/wp-content/uploads/Rpt_Disease_List.pdf
2. WNV: <https://www.cdc.gov/westnile/index.html>
3. WNV vaccine for horses:
<https://aaep.org/guidelines/vaccination-guidelines/core-vaccination-guidelines/west-nile-virus>
4. St. Louis Encephalitis: <https://www.cdc.gov/sle/index.html>
5. Locally acquired malaria: <https://emergency.cdc.gov/han/2023/han00494.asp>
6. Locally acquired Dengue: <https://www.cdc.gov/mmwr/volumes/72/wr/mm7211a5.htm>
7. UDAF reportable diseases:
<https://ag.utah.gov/wp-content/uploads/2023/09/August-2023-Reportable-Disease-List.pdf>

Special thanks to the California Department of Health for their [report format inspiration](#).

The Utah Department of Health and Human Services monitors [reportable arboviruses](#) year-round. If you have any questions about arboviruses, call 1-888-EPI-UTAH or send an email to onehealth@utah.gov.