

2016 Cryptosporidiosis Surveillance Summary

Cryptosporidiosis Cases† and Incidence by Health District, State of Utah

Health District	5-Year Case Count Average, 2011-2015	5-Year Average Incidence*	2015 Case Count	2015 Incidence*	2016 Case Count	2016 Incidence*	2016 Cases Reporting RWE‡ in Utah	% of 2016 Cases with RWE ‡
Bear River	4.6	2.7	5	2.9	7	4.0	3	43%
Central Utah	2.2	2.9	7	9.1	9	11.7	3	33%
Davis County	27.6	8.5	26	7.7	27	8.0	16	59%
Salt Lake County	38.0	3.5	65	5.9	50	4.5	16	32%
San Juan County	0.0	0.0	0	0.0	0	0.0	0	0%
Southeast Utah	0.0	0.0	0	0.0	0	0.0	0	0%
Southwest Utah	1.8	0.8	3	1.3	7	3.1	1	14%
Summit County	0.2	0.5	0	0.0	1	2.5	1	100%
Tooele County	1.4	2.3	3	4.8	0	0.0	0	0%
TriCounty	11.6	20.5	19	31.7	25	41.7	7	28%
Utah County	18.4	3.3	22	3.8	46	8.0	20	43%
Wasatch County	1.6	6.0	7	24.0	4	13.7	3	75%
Weber-Morgan	13.2	5.3	22	8.6	5	2.0	1	20%
State of Utah	121	4.2	179	6.0	181	6.0	71	39%

†Probable and confirmed cases based on report date

‡Recreational water exposure (RWE) reported at a Utah permitted or non-permitted site

*Incidence is calculated per 100,000 person-years using Utah population estimates obtained from <http://ibis.health.utah.gov/query/selection/pop/PopSelection.html>
2015 Utah population estimates were used for 2015 and 2016 rates

Cryptosporidiosis Cases by MMWR Week, State of Utah, 2016

